

# 1 BLT set 2 over GF(11)

Points on the quadric  $x_0^2 + x_1x_2 + x_3x_4$ :

$$P_1 = (0, 1, 0, 0, 0)$$

$$P_2 = (0, 0, 1, 0, 0)$$

$$P_3 = (0, 1, 5, 10, 5)$$

$$P_4 = (0, 1, 4, 5, 8)$$

$$P_5 = (0, 1, 3, 7, 9)$$

$$P_6 = (0, 1, 1, 3, 7)$$

$$P_7 = (1, 2, 7, 7, 1)$$

$$P_8 = (1, 1, 9, 4, 3)$$

$$P_9 = (1, 9, 4, 9, 2)$$

$$P_{10} = (1, 3, 5, 6, 1)$$

$$P_{11} = (1, 8, 6, 9, 8)$$

$$P_{12} = (1, 10, 2, 5, 9)$$

Stabilizer of order 288 is generated by:

$$g_1 = \begin{pmatrix} 0 & 0 & 0 & 3 & 4 \\ 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 \\ 2 & 0 & 0 & 6 & 3 \\ 7 & 0 & 0 & 1 & 6 \end{pmatrix}$$

$$g_2 = \begin{pmatrix} 5 & 0 & 0 & 2 & 10 \\ 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 \\ 6 & 0 & 0 & 3 & 10 \\ 10 & 0 & 0 & 7 & 3 \end{pmatrix}$$

$$g_3 = \begin{pmatrix} 1 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 \\ 0 & 4 & 1 & 6 & 3 \\ 0 & 3 & 0 & 0 & 5 \\ 0 & 6 & 0 & 9 & 0 \end{pmatrix}$$

$$g_4 = \begin{pmatrix} 0 & 0 & 0 & 8 & 7 \\ 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 \\ 9 & 0 & 0 & 6 & 3 \\ 4 & 0 & 0 & 1 & 6 \end{pmatrix}$$

$$g_5 = \begin{pmatrix} 5 & 0 & 0 & 9 & 1 \\ 0 & 10 & 6 & 1 & 6 \\ 0 & 0 & 10 & 0 & 0 \\ 5 & 0 & 6 & 3 & 10 \\ 1 & 0 & 1 & 7 & 3 \end{pmatrix}$$

$$g_6 = \begin{pmatrix} 10 & 0 & 0 & 0 & 0 \\ 0 & 0 & 9 & 0 & 0 \\ 0 & 5 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 6 \\ 0 & 0 & 0 & 2 & 0 \end{pmatrix}$$

$$g_7 = \begin{pmatrix} 0 & 8 & 4 & 9 & 10 \\ 1 & 2 & 7 & 7 & 1 \\ 1 & 10 & 2 & 5 & 9 \\ 10 & 10 & 6 & 10 & 6 \\ 9 & 3 & 8 & 3 & 9 \end{pmatrix}$$

Induced action on the BLT-set:

The induced group has order 288 and is generated by:

$$g_1 = (7, 9)(8, 11)(10, 12)$$

$$g_2 = (7, 8, 10)(9, 12, 11)$$

$$g_3 = (2, 5)(3, 4)$$

$$g_4 = (8, 10)(11, 12)$$

$$g_5 = (1, 3)(5, 6)(7, 11, 8, 9, 10, 12)$$

$$g_6 = (1, 2)(3, 5)(4, 6)(7, 9)(8, 12)(10, 11)$$

$$g_7 = (1, 7, 3, 10, 4, 8)(2, 12, 6, 9, 5, 11)$$

Kernel has order 1 and is generated by:

There are 1 orbits on the BLT set.

The orbit length are [12]

The orbits are:

$$O_0 = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12\} \text{ (length 12)}$$