

Contents

| | |
|------------------------|-----------|
| <i>Preface</i> | <i>v</i> |
| <i>Acknowledgments</i> | <i>ix</i> |

Part I Introduction

| | |
|----------------------------------------------------|----|
| 1 <i>Pattern Analysis as Data Reduction</i> | 1 |
| 1.1 <i>Why Data Reduction?</i> | 2 |
| 1.1.1 <i>Digital Imaging Systems</i> | 3 |
| 1.1.2 <i>Numerical Simulations</i> | 4 |
| 1.1.3 <i>Experimental Apparatus</i> | 6 |
| 1.2 <i>Dimensionality Reducing Mappings</i> | 8 |
| 1.2.1 <i>Definitions of Dimension</i> | 9 |
| 1.2.2 <i>Mathematical Framework of Reduction</i> | 11 |
| 1.2.3 <i>Reduction Mapping Optimality Criteria</i> | 13 |
| 1.2.4 <i>Design of Reduction Mappings</i> | 14 |
| 1.3 <i>Patterns and Data</i> | 18 |
| 1.3.1 <i>Pattern Types</i> | 18 |
| 1.3.2 <i>Continuous and Discrete Data Problems</i> | 20 |
| | 21 |

| | | |
|----------|----------------------------------------------|-----------|
| 2 | <i>Linear Spaces and Transformations</i> | 23 |
| 2.1 | <i>Linear Transformations</i> | 24 |
| 2.2 | <i>Change of basis</i> | 25 |
| 2.3 | <i>Operations on Subspaces</i> | 28 |
| 2.4 | <i>Important Subspaces</i> | 32 |
| 2.5 | <i>Projection Matrices</i> | 33 |
| 2.5.1 | <i>Invariant Subspaces</i> | 34 |
| 2.6 | <i>Orthogonal Projection Matrices</i> | 36 |
| 2.6.1 | <i>Best Approximation Theorem</i> | 37 |
| 2.6.2 | <i>Criterion for Orthogonal Projections</i> | 38 |
| 2.6.3 | <i>Orthogonalization</i> | 40 |
| 2.7 | <i>Application: The Novelty Filter</i> | 41 |
| 2.8 | <i>Eigenvalues and Eigenvectors</i> | 43 |
| 2.9 | <i>The Singular Value Decomposition</i> | 47 |
| 2.9.1 | <i>Reduction and Compression of Matrices</i> | 51 |
| 2.9.2 | <i>Applications of the SVD</i> | 53 |
| 2.9.3 | <i>Computation of the SVD</i> | 54 |
| | <i>Problems</i> | 56 |

Part II Optimal Orthogonal Pattern Representations

| | | |
|----------|------------------------------------------------|-----------|
| 3 | <i>The Karhunen-Loève (KL) Expansion</i> | 63 |
| 3.1 | <i>Introduction</i> | 64 |
| 3.2 | <i>What is an optimal basis?</i> | 65 |
| 3.3 | <i>On Lines of Best Fit</i> | 67 |
| 3.4 | <i>Construction of the Optimal Basis</i> | 71 |
| 3.4.1 | <i>The Simultaneous Derivation</i> | 72 |
| 3.4.2 | <i>The Sequential Derivation</i> | 74 |
| 3.5 | <i>General Properties of the KL Expansion</i> | 76 |
| 3.6 | <i>The Snapshot Method</i> | 84 |
| 3.6.1 | <i>The Rogues Gallery Problem</i> | 86 |
| 3.6.2 | <i>Reduction of Lip Motion</i> | 91 |
| 3.7 | <i>The Singular Value Decomposition and KL</i> | 92 |
| 3.7.1 | <i>Translationally Invariant Data</i> | 98 |
| 3.8 | <i>Summary</i> | 100 |
| | <i>Problems</i> | 101 |

| | |
|-----------------------------------------------------------------|-----|
| <i>4 Additional Theory and Applications of the KL Expansion</i> | 107 |
| <i>4.1 The Continuous KL Transform</i> | 108 |
| <i>4.2 Vector Function KL Expansions</i> | 112 |
| <i>4.2.1 Continuous Vector Functions</i> | 112 |
| <i>4.2.2 Discrete Vector Functions</i> | 114 |
| <i>4.3 Optimal Symmetric Expansions</i> | 115 |
| <i>4.3.1 Optimal Symmetric Eigenfunctions</i> | 115 |
| <i>4.3.2 Optimal Symmetric Eigenvectors</i> | 121 |
| <i>4.4 Low-Dimensional Dynamical Equations</i> | 123 |
| <i>4.4.1 The Galerkin Projection</i> | 124 |
| <i>4.4.2 The Fourier-Galerkin Projection</i> | 125 |
| <i>4.4.3 KL-Galerkin</i> | 126 |
| <i>4.4.4 A Weighted Sobolev Norm</i> | 127 |
| <i>4.4.5 Further Discussion</i> | 129 |
| <i>4.5 Implementation with Missing Data</i> | 130 |
| <i>4.5.1 Estimating Missing Data</i> | 130 |
| <i>4.5.2 Estimating a KL Basis with Missing Data</i> | 132 |
| <i>4.6 Application to Noisy Data</i> | 134 |
| <i>4.7 The Local Karhunen-Loève Expansion</i> | 137 |
| <i>4.7.1 Global KL Procedure on Closed Curves</i> | 139 |
| <i>4.7.2 The Local Approach</i> | 141 |
| <i>4.7.3 Local Representation and the Taylor Series</i> | 146 |
| <i>4.7.4 Computation of the Tangent Space</i> | 146 |
| <i>4.7.5 Local Whitening Transformation Problems</i> | 148 |
| | 153 |

Part III Time, Frequency and Scale Analysis

| | |
|-----------------------------------------------|-----|
| <i>5 Fourier Analysis</i> | 161 |
| <i>5.1 The Discrete Fourier Transform</i> | 162 |
| <i>5.1.1 Derivation of the Transform Pair</i> | 163 |
| <i>5.1.2 Properties of the DFT</i> | 165 |
| <i>5.1.3 The DFT as an Optimal Basis</i> | 169 |
| <i>5.1.4 The Convolution Theorem.</i> | 170 |
| <i>5.1.5 The 2-D DFT</i> | 173 |
| <i>5.1.6 The Fast Fourier Transform</i> | 176 |
| <i>5.2 Continuous-Time Fourier Transform</i> | 177 |

| | | |
|--------------------------------------------|-------------------------------------------------------------|-----|
| 5.2.1 | <i>Connection With the Fourier Series</i> | 179 |
| 5.2.2 | <i>Properties of the CTFT</i> | 181 |
| 5.2.3 | <i>The Uncertainty Principle</i> | 185 |
| 5.2.4 | <i>The Delta Function</i> | 188 |
| 5.2.5 | <i>Windowing in the Continuous-Time Domain</i> | 190 |
| 5.3 | <i>Short-Time Fourier Transform Problems</i> | 193 |
| | | 195 |
| 6 | <i>Wavelet Expansions</i> | 199 |
| 6.1 | <i>The Continuous Wavelet Transform</i> | 200 |
| 6.1.1 | <i>Interpreting the CWT</i> | 202 |
| 6.1.2 | <i>Discretization of the CWT</i> | 208 |
| 6.2 | <i>The Discrete Wavelet Transform</i> | 210 |
| 6.2.1 | <i>The Multiresolution Property</i> | 213 |
| 6.2.2 | <i>The Multiresolution Analysis</i> | 215 |
| 6.2.3 | <i>The Pyramidal Decomposition</i> | 217 |
| 6.2.4 | <i>The Pyramidal Reconstruction</i> | 218 |
| 6.2.5 | <i>The Multiresolution Theorem</i> | 222 |
| 6.3 | <i>The Dilation Equation</i> | 224 |
| 6.3.1 | <i>Iteration of the Dilation Equation</i> | 224 |
| 6.3.2 | <i>Constraints on the coefficients $\{h_k\}$</i> | 225 |
| 6.3.3 | <i>Solutions of the Scaling Equation Problems</i> | 227 |
| | | 228 |
| <i>Part IV Adaptive Nonlinear Mappings</i> | | |
| 7 | <i>Radial Basis Functions</i> | 233 |
| 7.1 | <i>Function Approximation</i> | 234 |
| 7.1.1 | <i>The Interpolation Problem</i> | 234 |
| 7.2 | <i>The General RBF Expansion</i> | 237 |
| 7.2.1 | <i>Computing the RBF Weights</i> | 238 |
| 7.3 | <i>Direct Methods for Computing the Weights</i> | 240 |
| 7.3.1 | <i>The Normal Equations</i> | 240 |
| 7.3.2 | <i>The SVD Solution</i> | 241 |
| 7.3.3 | <i>Gram-Schmidt (QR)</i> | 242 |
| 7.4 | <i>Descent Methods for Computing the Weights</i> | 242 |
| 7.4.1 | <i>The Least Mean Square (LMS) Algorithm</i> | 243 |

| | | |
|-------|-----------------------------------------------|-----|
| 7.4.2 | <i>Exact Line Search For Steepest Descent</i> | 247 |
| 7.4.3 | <i>The Conjugate Gradient (CG) Algorithm</i> | 249 |
| 7.4.4 | <i>The On-Line LMS Algorithm</i> | 250 |
| 7.5 | <i>Computing the RBF Centers</i> | 251 |
| 7.5.1 | <i>Nonlinear Optimization</i> | 252 |
| 7.6 | <i>Center Selection via Data Clustering</i> | 253 |
| 7.6.1 | <i>Competitive Learning</i> | 254 |
| 7.6.2 | <i>The LBG Algorithm</i> | 259 |
| 7.6.3 | <i>Topology Preserving Mappings</i> | 260 |
| 7.7 | <i>Additional Training Strategies</i> | 263 |
| 7.7.1 | <i>Orthogonal Least squares</i> | 263 |
| 7.7.2 | <i>Resource Allocating Networks</i> | 265 |
| 7.8 | <i>Summary of RBFs</i> | 265 |
| | <i>Problems</i> | 267 |
| 8 | <i>Neural Networks</i> | 271 |
| 8.1 | <i>The Neural Network Model</i> | 273 |
| 8.2 | <i>The Simple Perceptron</i> | 276 |
| 8.3 | <i>Multi-Layer Perceptron</i> | 283 |
| 8.3.1 | <i>Function Approximation</i> | 283 |
| 8.3.2 | <i>Backpropagation</i> | 287 |
| 8.4 | <i>Optimization Techniques</i> | 291 |
| 8.4.1 | <i>Learning with Momentum</i> | 292 |
| 8.4.2 | <i>Conjugate Gradient</i> | 292 |
| 8.4.3 | <i>m-BFGS</i> | 292 |
| 8.4.4 | <i>Method of Lines</i> | 292 |
| 8.4.5 | <i>Training Strategies</i> | 293 |
| 8.5 | <i>Learning with Constraints</i> | 295 |
| 8.5.1 | <i>Regularization</i> | 296 |
| 8.5.2 | <i>Circular Nodes</i> | 298 |
| 8.6 | <i>Matrix Formulation of Backpropogation</i> | 299 |
| 8.6.1 | <i>Computation of the gradients</i> | 301 |
| 8.6.2 | <i>The Gradient Matrix</i> | 311 |
| 8.7 | <i>Neural Computation of K-L Eigenvectors</i> | 313 |
| 8.8 | <i>The Hopfield Network</i> | 317 |
| 8.9 | <i>Epilogue</i> | 320 |
| 9 | <i>Nonlinear Reduction Architectures</i> | 325 |

| | | |
|----------------------------------------------|---------------------------------------------|-----|
| 9.1 | <i>Data Parameterization</i> | 326 |
| 9.2 | <i>The Whitney Reduction Network</i> | 328 |
| 9.2.1 | <i>Network Architecture</i> | 328 |
| 9.2.2 | <i>Theoretical Background</i> | 332 |
| 9.2.3 | <i>Implementation</i> | 334 |
| 9.2.4 | <i>Properties of the Whitney Network</i> | 337 |
| 9.2.5 | <i>Applications</i> | 340 |
| 9.3 | <i>Bottleneck Mappings</i> | 350 |
| 9.3.1 | <i>Bottleneck Mappings with Constraints</i> | 354 |
| 9.4 | <i>Neural Charts</i> | 355 |
| 9.5 | <i>Epilogue</i> | 359 |
| <i>Appendix A Mathematical Preliminaries</i> | | 363 |
| A.1 | <i>Sets, Classes</i> | 364 |
| <i>Appendix B Linear Algebra</i> | | 367 |
| B.1 | <i>Vector Spaces</i> | 367 |
| B.2 | <i>Mappings</i> | 369 |
| B.3 | <i>Inner Product Spaces</i> | 370 |
| B.4 | <i>Vector and Matrix Norms</i> | 371 |
| B.5 | <i>Metric Spaces</i> | 373 |
| <i>Appendix C Point Set Topology</i> | | 375 |
| <i>Appendix D Calculus</i> | | 377 |
| <i>References</i> | | 379 |
| <i>Index</i> | | 386 |