

# **Finite element methods in scientific computing**

Wolfgang Bangerth, Colorado State University

## **Lecture 4:**

# **The building blocks of a finite element code**

# Implementing the finite element method

## Brief re-hash of the FEM, using the Poisson equation:

We start with the strong form:

$$\begin{aligned} -\Delta u &= f && \text{in } \Omega \\ u &= 0 && \text{on } \partial\Omega \end{aligned}$$

# Implementing the finite element method

## Brief re-hash of the FEM, using the Poisson equation:

We start with the strong form:

$$-\Delta u = f$$

...and transform this into the weak form by multiplying *from the left* with a test function:

$$(\nabla \varphi, \nabla u) = (\varphi, f) \quad \forall \varphi$$

The solution of this is a function  $u(x)$  from an infinite-dimensional function space.

# Implementing the finite element method

Since computers can't handle objects with infinitely many coefficients, we seek a finite dimensional function of the form

$$u_h(x) = \sum_{j=1}^N U_j \varphi_j(x)$$

To determine the  $N$  coefficients, test with the  $N$  basis functions:

$$(\nabla \varphi_i, \nabla u_h) = (\varphi_i, f) \quad \forall i=1 \dots N$$

If basis functions are linearly independent, this yields  $N$  equations for  $N$  coefficients.

This is called the *Galerkin* method.

# Implementing the finite element method

**Practical question 1:** How to define the basis functions?


**Answer:** In the finite element method, this is done using the following concepts:

- Subdivision of the domain into a mesh
- Each cell of the mesh is a mapping of the reference cell
- Definition of basis functions on the reference cell
- Each shape function corresponds to a degree of freedom on the global mesh

# Implementing the finite element method

**Practical question 1:** How to define the basis functions?


**Answer:**



# Implementing the finite element method

**Practical question 1:** How to define the basis functions?

**Answer:**



# Implementing the finite element method

**Practical question 1:** How to define the basis functions?

**Answer:** In the finite element method, this is done using the following concepts:

- Subdivision of the domain into a **mesh**
- Each cell of the mesh is a **mapping** of the **reference cell**
- Definition of **basis functions** on the reference cell
- Each shape function corresponds to a **degree of freedom on the global mesh**

**Concepts in red** will correspond to things we need to implement in software, explicitly or implicitly.

# Implementing the finite element method

Given the definition  $u_h = \sum_{j=1}^N U_j \varphi_j(x)$  , we can expand the bilinear form

$$(\nabla \varphi_i, \nabla u_h) = (\varphi_i, f) \quad \forall i = 1 \dots N$$

to obtain:

$$\sum_{j=1}^N (\nabla \varphi_i, \nabla \varphi_j) U_j = (\varphi_i, f) \quad \forall i = 1 \dots N$$

This is a linear system

$$AU = F$$

with

$$A_{ij} = (\nabla \varphi_i, \nabla \varphi_j) \quad F_i = (\varphi_i, f)$$

# Implementing the finite element method

**Practical question 2:** How to compute

$$A_{ij} = (\nabla \varphi_i, \nabla \varphi_j) \quad F_i = (\varphi_i, f)$$

**Answer:** By **mapping** back to the reference cell...

$$\begin{aligned} A_{ij} &= (\nabla \varphi_i, \nabla \varphi_j) \\ &= \sum_K \int_K \nabla \varphi_i(x) \cdot \nabla \varphi_j(x) \\ &= \sum_K \int_{\hat{K}} J_K^{-1}(\hat{x}) \hat{\nabla} \hat{\varphi}_i(\hat{x}) \cdot J_K^{-1}(\hat{x}) \hat{\nabla} \hat{\varphi}_j(\hat{x}) |\det J_K(\hat{x})| \end{aligned}$$

...and **quadrature**:

$$A_{ij} \approx \sum_K \sum_{q=1}^Q \underbrace{J_K^{-1}(\hat{x}_q) \hat{\nabla} \hat{\varphi}_i(\hat{x}_q)}_{=\nabla \varphi_i(x_q)} \cdot \underbrace{J_K^{-1}(\hat{x}_q) \hat{\nabla} \hat{\varphi}_j(\hat{x}_q)}_{=\nabla \varphi_j(x_q)} \underbrace{|\det J_K(\hat{x}_q)| w_q}_{=: JxW}$$

Similarly for the right hand side  $F$ .

# Implementing the finite element method

**Practical question 3:** How to store the matrix and vectors of the linear system

$$AU = F$$

## Answers:

- $A$  is sparse, so store it in **compressed row format**
- $U, F$  are just vectors, store them as **arrays**
- Implement efficient algorithms on them, e.g. **matrix-vector products, preconditioners**, etc.
- For large-scale computations, data structures and algorithms must be **parallel**

# Implementing the finite element method

**Practical question 4:** How to solve the linear system

$$AU = F$$

**Answers:** In practical computations, we need a variety of

- Direct solvers
- Iterative solvers
- Parallel solvers

# Implementing the finite element method

**Practical question 5:** What to do with the solution of the linear system

$$AU = F$$


**Answers:** The goal is not to solve the linear system, but to do something with its solution:

- Visualize
- Evaluate for quantities of interest
- Estimate the error

These steps are often called *postprocessing the solution*.


# Implementing the finite element method

Together, the concepts we have identified lead to the following components that all appear (explicitly or implicitly) in finite element codes:



# Implementing the finite element method

Each one of the components in this chart...



... can also be found in the *manual* at

<http://dealii.org/9.0.0/doxygen/deal.II/index.html>

# Implementing the finite element method

## Summary:

- By going through the mathematical description of the FEM, we have identified *concepts* that need to be represented by *software components*.
- Other components relate to what we *want to do* with numerical solutions of PDEs.
- The next few lectures will show the software realization of these concepts.

# **Finite element methods in scientific computing**

Wolfgang Bangerth, Colorado State University