MATH 689: Numerical Optimization

Prof. Wolfgang Bangerth // Blocker 507D // bangerth@math.tamu.edu

Homework assignment 1 – due Tuesday 1/21/2014

Problem 1 (Optimization problems in your field). Optimization problems are usually posed in the following way: let x be a vector of variables that describe the quantities that are subject to optimization (i.e. the *design variables u* introduced in the first class) and auxiliary variables (i.e. the *state* variables y); then the problem is to find that vector x for which

$$f(x) \to \min!,$$

 $g(x) = 0,$
 $h(x) \ge 0,$

with an objective function f(x), a function g(x) that describes equalities that need to hold at the solution, and h(x) inequalities. Both g and h can be vector-valued, and in this case the (in)equalities have to hold for each element $g_1(x), g_2(x), \ldots, h_1(x), h_2(x), \ldots$

For a typical problem related to your research (or an area you simply find interesting), describe as best as you can:

- What are the variables that make up x?
- What are the functions f, g, h (i.e. what do they mean) and, if possible, their form as a formula?
- What can you say about the classification of the problem, i.e. is it convex/nonconvex, smooth/nonsmooth, etc, according to the criteria discussed in class?

(4 points)

Problem 2 (Fitting data 1). Assume you are given the following time series:

Consider the problem of fitting a line y(t) = at + b through this data set. One way to do so is to ask for that set of parameters $x = \{a, b\}$ for which the sum of squares deviation $f(x) = \sum_{i=1}^{4} |y_i - y(t_i)|^2$ is minimal. Note that the right hand side depends on x through the equation for y(t).

Plot this function f(x) for the values of t_i, y_i above. Describe whether this function f(x) is linear/nonlinear, convex/nonconvex, smooth/nonsmooth, whether derivatives can be computed or not, and whether the design variables a, b are discrete or continuous.

From the plot of f(x) obtain (using your eyes, no minimum finder) a reasonable guess for those values a, b for which f(x) is minimal, and plot the resulting line y(t) = at + b along with the data points above.

(4 points)

Problem 3 (Fitting data 2). Repeat all parts of the previous problem but replace the objective function by the one that tries to minimize the sum of absolute values $f(x) = \sum_{i=1}^{4} |y_i - y(t_i)|$ instead of squares. Comment in particular on the smoothness of f(x). (4 points)

Problem 4 (Fitting data 3). Repeat the previous problem a final time, but replace the objective function by the one that tries to minimize the *maximal* deviation, $f(x) = \max_{1 \le i \le 4} |y_i - y(t_i)|$. Comment again on the smoothness of f(x). Can you say something about the uniqueness of the minimum?

(4 points)